





Aveda Institute - Dallas, TX



Magnolia High School - Magnolia, AR



Southern Arkansas University - Magnolia, AR

Alulite[®]
STAGES

A Lifetime of Flawless Performance

Perform on the highest quality portable staging that exists with Alulite Stages[®]. Tool-free assembly ensures quick transformations for all indoor or outdoor events. Aircraft-grade aluminum staging supports an astounding 250 pounds per square foot. Select a durable black non-skid finish or midnight black carpet. Even after exposure to blistering sun and torrential downpours, Alulite Stages[®] show no signs of fading or deterioration, offering a lifetime of flawless performance.



Tool-Free Assembly

Simply join each staging deck together with a sliding lock key.



Easy Mobility

Add casters to transform your stage into the perfect cart.



Simple Skirting

Skirting made simple with Velcro[®] edging.



Surface Options

Surface available in non-skid or carpet.



Convenient Set Up

Insert leg into position and simply twist eye-bolt to secure.



Accessories

Add a carpeted 2 or 3-step stair unit and railing to complete the staging set-up.

Specifications

Sustainability

Aluminum extrusions contain 70% recycled aluminum; 10% is post-consumer content, and 60% pre-consumer content. Southern Aluminum products are recyclable. All aluminum components are smooth finish high strength alloy 6063-T6 extrusions unless otherwise noted.

Deck and Ramp Surface

Surfaces are .080" thick with primary stiffener ribs which are 1.5" deep and joined together to form a 3" rib providing distributed weight support of 250 lb. per square foot. The deck is finished in choice of midnight black carpet or textured non-skid black powder-coat paint. All non-skid decks have a sound dampening material underneath. All ramps are finished in non-skid surface. Stage decks are manufactured with 3/4" protected black Velcro® around the perimeter for optional skirting. Stages need to be set up on hard ground, concrete, or flooring. Alulite Stage® products have a Lifetime Guarantee.

Carpet

Carpet is Coronet VI102 - Vitality (polypropylene spun olefin) with an all-weather unitary backing. Carpet manufacturer provides warranties as follows: 2-year indoor limited fade guarantee; 2-year outdoor limited fade guarantee; 2-year indoor limited wear guarantee; 2-year outdoor limited wear guarantee.

Legs

Trusses are bolted to stage deck. Leg inserts are 2" square aluminum tubing in 8", 16", 24", or 32" lengths. Legs are capped on the bottom with durable plastic glides to protect floor surfaces. Hand-tightened eye bolts lock each insert into place. Legs are stored underneath stage decks.

Ramp Elevation

Each 8-foot ramp raises 8" in elevation. Ramp entry piece raises 2.5" in elevation.

Slide Key

Stage sections are joined and locked together with 4" anodized aluminum slide key system providing a level top with no gaps between decks. Decks may be joined at any point where decks meet by sliding key along bottom edges of adjoining sections. Key is stored under deck sections with Velcro®.

Stairs

Two-step and three-step stair units are made of one piece welded frame of 1.5" aluminum tubing. Steps are 10" deep, and 36" wide. Elevation between each step is 8". The stair frame is finished in a black powder-coat paint. Steps are covered with black carpet and edged with an anodized end cap. Stair units require assembly. All necessary hardware and easy-to-follow instructions are included.

Handrails

Handrail uprights are made of 1.5" aluminum tubing. Lateral rail components are 1.25" aluminum tubing. Handrail dimensions are 48" wide by 36" high. Each handrail clamps to the stage with a hand-tightened bolt. They are finished with black powder-coat paint.



Lifetime Written Warranty

Southern Aluminum's expertise in design and manufacturing has always set the highest standards in our markets and we want you to be confident in our time-tested and functionally proven products. We guarantee our products under normal use and normal conditions for as long as you own them. This includes the functional and mechanical performance of each product as used in the conventional purposes and application. This warranty does not cover the normal wear and tear on tabletop surface or edges. There does not exist any known horizontal surface material or surface treatment, whether manufactured by Southern Aluminum or any competitors/manufacturers, which is completely scratch resistant. Southern Aluminum does not warranty scratches, gouges and other physical damage to the tabletop finish caused by transport, storage and use (misuse).

Some surface materials (Wilsonart, Formica and other HPL laminate products; stage carpet) are not manufactured by Southern Aluminum and are governed solely by the guarantees or warranties of these manufacturers. In addition, discoloration due to harsh cleaners, blemishes, scratches and deterioration to HPL laminates are not covered.

In the unlikely event of a warranty issue after your products are in use, we will replace or repair the product(s) at our discretion.

Options

Surface	Stage Decks (W" x L")	Stair Units (W" x L")	Leg Sets # of legs per Set - (H")	Chair Stop (L")	Railing (H" x L")
 Non-skid	48 x 48	19.5 x 39	set of 4 - 8	48	36 x 48
 Carpet	48 x 72	29.5 x 39	set of 4 - 16	72	36 x 72
	48 x 96		set of 4 - 24	96	
		Stage Ramp (W" x L")	set of 4 - 32		Skirting
	Choral Riser Platforms (W" x L")	40 x 96	set of 6 - 8		Model #
	18 x 48	40 x 30 (entry plate)	set of 6 - 16		SKIRT-8
	18 x 72		set of 6 - 24		SKIRT-16
	18 x 96		set of 6 - 32		SKIRT-24
	36 x 48		Adjustable Leg		SKIRT-32
	36 x 72		1 - Adjust 24" to 40"		
	36 x 96				



800.221.0408

www.southernaluminum.com